

NEW CONCENTRATE TOUGH ROUNDUP® WEEDKILLER - 540ML

KILLS TOUGH WEEDS TO THE ROOTS

Kills and controls

- Tree Stumps
- Blackberry
- Ivy
- Lantana & many others

RAINPROOF AFTER 2 HOURS

Use weedkillers safely. Always read the label.

roundup-garden.co.nz

Concentrate Tough ROUNDUP® Weedkiller

ACTIVE INGREDIENTS:

143 g/L GLYPHOSATE (present as isopropylamine salt) and 15.1 g/L TRICLOPYR (present as triethylamine salt) in the form of a soluble concentrate.

WARNING - May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic environment. Toxic in the soil environment.

PRECAUTIONS:

READ LABEL BEFORE USE. KEEP OUT OF REACH OF CHILDREN. AVOID RELEASE TO THE ENVIRONMENT. DO NOT eat, drink or smoke when mixing or during application. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when mixing or spraying. Remove protective clothing and wash hands and face thoroughly after using. DO NOT breathe spray. DO NOT allow pets and children to enter the treated area until the spray has dried. DO NOT allow spray to contact or drift onto plants (including turf grass) you do not want killed. If sprayed, cut off leaves or wash with water immediately to avoid injury. DO NOT allow chemical containers or excess spray to get into drains, sewers, streams or ponds. DO NOT spray directly onto humans, pets, exposed food, food preparation areas or food utensils. DO NOT apply around food or animal feed crops.

FOR EMERGENCIES ONLY CALL NZ 0800 734 607 (24 HOURS)

FIRST AID:

Get medical advice if you feel unwell. If product gets in eyes, wash it out immediately with water. If poisoning occurs, contact a doctor or NZ Poisons Information Centre: 0800 764 766.

HOW TO USE:

DO NOT treat if rain is likely within 2 hours. **DO NOT** disturb treated weeds for 7 days after treatment. **DO NOT** apply to frost damaged weeds or weeds covered with dust or silt.

WEEDS CONTROLLED	RATE	HOW TO APPLY
Many tough, woody weeds and grasses, including: Annual Ryegrass, Barley Grass, Capeweed, Clover, Marshmallow, Onion Weed and Oats. Harder to kill weeds including: Blackberries, Asparagus Fern, English Ivy, Lantana and Wandering Willie.	25 mL per 1L water 40 mL per 1L water	Apply when weeds are actively growing. Do not spray plants bearing edible berries. Spray all leaves evenly until just wet. 1 Litre of spray will cover 10 square meters. Weeds may be removed 7 days after treatment. Perennial weeds may need a repeat treatment. Surrounding areas may be replanted as per the following timings: ornamental flowers 1 day after application, lawn grasses 3 days after application, non-conifers 14 days after application and conifers 30 days after application.
Cut Stump	Undiluted	Cut stump close to the ground. Drill 4 to 5 holes into freshly cut stump. Immediately pour undiluted product into holes.

STORAGE & DISPOSAL:

Store in the closed original container in a cool, dry place out of the reach of children. DO NOT store in direct sunlight. Triple rinse empty container and add residue to spray tank. Puncture empty container and recycle or dispose of safely with domestic rubbish by wrapping in paper, placing in a plastic bag and putting in the garbage. Avoid contamination of any water supply with the chemical or empty packaging.

HOW TO PREPARE:

Dilute this product with clean water. Use only plastic lined brass, copper, fiberglass, aluminum plastic or stainless steel containers for mixing and application. DO NOT mix more than can be used within 5 days. Wash out spray equipment thoroughly after use.

Distributor: Tui Products, Truman Lane, Mt Maunganui, New Zealand. Tel: 07 575 2160

® Registered Trademark of Monsanto Technology LLC,
Used under license by Monsanto Australia Limited.

HSNO approval Number: HSR101096

Refer to www.epa.govt.nz for controls.

PROTECT FROM FROST

